


Order #XXXXX MOD-1353 iPad Kiosk

Item	Qty.	Description
1	1	Base Plate
2	1	10" Z72 Horizontal Extrusion
^	4	M (D) (



Steps:

- 1) Slide Infill into stand verticals as shown.
- 2) Attach horizontal [2] between stand verticals.
- 3) Attach base plate [1] to stand verticals, using bolts.
- 4) Attach mount plate [3] to stand, using bolt
 - NOTE: Mount Plate must rotate to left and right before installing Clamshell.
- 5) Attach clamshell to mount plate [3], using hex nuts.
- 6) Insert iPad into clamshell then route cords. See Cord Management for iPad detail.
- 7) Attach literature holders to stand. See Literature Holder Attachment detail.

Cord Management Cord management Route cord through conduit. Attach conduit by pinching the opening and inserting into the groove of stand.

* Literature Holder Attachment


Attach angled end of connector to

literature holder. Attach flat end of

connector to post. Tighten


locks to secure.

Optional Cover for Home Button



- 1) Remove foam lining from inside bottom of clamshell.
- 2) Attach Home Button Shield with double-sided tape to inside of clamshell, keeping top of shield flush with clamshell opening.


NOTE: This is a permanent fix and can't be easily removed.



Completed Assembly

Rotate clamshell to turn iPad from portrait to landscape orientation.

Cord Management for iPad





Attach iPad cord to supplied USB extension cord. Feed USB cord through top hole of post, then out bottom hole of post. connect to power.

© SETUP INSTRUCTIONS



General Setup Instructions


- Read entire setup instruction manual prior to unpacking parts and pieces.
- The setup instructions are created specifically for this configuration.
- Setup instructions are laid out sequentially in steps, including exploded views with detailed explanation for assembly.

Cleaning & Packing


- For Cleaning Metal, Plex, & Laminate Parts:
 Use a MILD NON-ABRASIVE cleanser and soft cloth/paper towel to clean all surfaces.
- Keep exhibit components away from heat and prolonged sun exposure.
 Heat and UV exposure will warp and fade components.
- Retain all provided Packing Materials.
 All provided packing materials are for ease of repacking & component protection.

Disassembly

- For loss prevention, tighten all set screws and locks during disassembly.




Hex Tool - Essential for Assembly




Part Identification - Numbering



MARNING



Spline Connection




Base Plate & Extrusion Connection




DO NOT USE POWER TOOLS



LADDERS OR LIFTS MAY BE REQUIRED



Extrusion & Lock Connection




Engaged Lock




ALL CONNECTIONS MUST BE TIGHTLY SECURED



Top View of Each Level



Level 1 (Bottom level)



Level 2

Setup Hardware

Literature Holders